

# Air Tool Cleaner

Date of Previous Version: Not Applicable

Revision Date: 2016-02-11

## SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

### 1. HAZARDS IDENTIFICATION

#### Product identifier

Product name: Air Tool Cleaner

#### Other means of identification

Product Code(s): ATC004

Substance/mixture: Mixture

#### Recommended use of the chemical and restrictions on use

Identified uses System cleaner.

Uses advised against Do not use for any purpose other than the one for which it is intended

#### Details of the supplier of the safety data sheet

Supplier Address Coilhose Pneumatics/Acme Automotive  
19 Kimberly Road  
East Brunswick, NJ 08816  
USA  
Phone: +1-732-390-8480

Contact Point Customer Service

E-mail Address [info@coilhose.com](mailto:info@coilhose.com)

Emergency telephone number +1 732-390-8480 Monday – Friday 8:00AM to 7:00 PM EST  
Emergency telephone Posion Control 25 hours/7 d days+ 1 800-222-1222

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Unknown Acute Toxicity

No information available

#### Hazards not otherwise classified (HNOC)

None known

#### Other information

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

# Air Tool Cleaner

Date of Previous Version: Not Applicable

Revision Date: 2016-02-11

Chemical Name	CAS-No	Weight %
Benzene, mono-C10-13-alkyl derivs., distn. residues	84961-70-6	80-<90
Calcium long chain alkaryl sulfonate	722503-68-6	10-<20

## 4. FIRST AID MEASURES

### First aid measures for different exposure routes

<b>General advice</b> EMERGENCY MEDICAL CARE.	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR
<b>Eye contact</b>	Rinse immediately with plenty of water and seek medical advice.
<b>Skin contact</b> clothing before reuse.	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated
<b>Inhalation</b> the upper respiratory tract.	Move to fresh air. Inhalation of high concentrations of vapor or aerosols may cause irritation of
<b>Ingestion</b>	If swallowed, do not induce vomiting - seek medical advice.

### Most important symptoms/effects, acute and delayed

<b>Skin contact</b>	Not classified.
<b>Eye contact</b>	Not classified. May cause eye irritation with susceptible persons.
<b>Inhalation</b> system.	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Symptoms</b>	Redness. Itching.

### Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

<b><u>Suitable Extinguishing Media</u></b>	Foam. Carbon dioxide (CO <sub>2</sub> ). ABC powder. Water spray.
<b><u>Unsuitable Extinguishing Media</u></b>	Do not use a solid water stream as it may scatter and spread fire.
<b><u>Special Hazard</u></b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
<b><u>Explosion Data</u></b>	
<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

# Air Tool Cleaner

Date of Previous Version: Not Applicable

Revision Date: 2016-02-11

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

**Other information** See Section 12 for additional information.

### Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### Methods and materials for containment and cleaning up

**Methods for cleaning up** Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

### Conditions for safe storage, including any incompatibilities

#### **Technical measures/Storage conditions**

Keep away from food, drink and animal feedstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Protect from frost, heat and sunlight. Protect from moisture. Design equipment to avoid accidental product leakage (for example due to seal failure) onto hot casings or electrical contacts.

**Materials to Avoid** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure limits** Mineral oil mist:  
USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined).

### Exposure controls

**Engineering Measures** Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

# Air Tool Cleaner

**Date of Previous Version:** Not Applicable

**Revision Date:** 2016-02-11

- General Information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
- Eye/Face Protection** If splashes are likely to occur, wear: Safety glasses with side-shields.
- Skin and body protection** Wear suitable protective clothing. Protective shoes or boots.
- Hand Protection** Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Respiratory protection** None required under normal usage. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
- Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>
--

**Physical and chemical properties**

<b>Appearance</b>	limpid
<b>Color</b>	brown
<b>Physical State @20°C</b>	liquid
<b>Odor</b>	Characteristic
<b>Odor Threshold</b>	No information available

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks</u></b>	<b><u>Method</u></b>	<b><u>pH</u></b>	<b><u>Not</u></b>
applicable					
<b>Melting point/range</b>		Not applicable			
<b>Boiling point/boiling range</b>		No information available			
<b>Flash point</b> 397.4 °F	203 °C		Cleveland Open Cup (COC) Cleveland Open Cup (COC).		
<b>Evaporation rate</b>		No information available			
<b>Flammability Limits in Air upper</b>		No information available			
<b>Lower</b>		No information available			
<b>Vapor Pressure</b>		No information available			
<b>Vapor density</b>		No information available			
<b>Relative density</b>	0.917	@ 15 °C	NF T 60-172		
<b>Density</b>	917 kg/m <sup>3</sup>	@ 15 °C	NF T 60-172		
<b>Water solubility</b>		Insoluble			
<b>Solubility in other solvents</b>		No information available			
<b>logPow</b>		No information available			
<b>Autoignition temperature</b>		No information available			
<b>Decomposition temperature</b>		No information available			
<b>Relative density</b>	24.5 mm <sup>2</sup> /s 4.8 mm <sup>2</sup> /s	@ 40°C @ 100°C	ISO 3104 ISO 3104		
<b>Explosive properties</b>		No explosive			
<b>Oxidizing Properties</b>		No applicable			
<b>Possibility of hazardous reactions</b>		No information available			

**Other Information**

# Air Tool Cleaner

Date of Previous Version: Not Applicable

Revision Date: 2016-02-11

Freezing point No information available

## 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

**Chemical stability** Stable under recommended storage conditions.

**Possibility of hazardous reactions** None under normal processing.

**Conditions to Avoid** Heat, flames and sparks. Take precautionary measures against static discharges. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Strong oxidizing agents.

**Incompatible Materials** Strong oxidizing agents.

**Hazardous Decomposition Products** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Principle Routes of Exposure** Inhalation, Ingestion, Eye contact, Skin contact.

**Symptoms** Redness. Itching.

**Skin contact** Not classified.

**Eye contact** Not classified. May cause eye irritation with susceptible persons.

**Inhalation** Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Ingestion** Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Acute toxicity - Product Information

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

**Oral**  
**ATEmix (oral)** 5320 mg/kg

**Dermal**  
**ATEmix (dermal)** 3998 mg/kg

**Inhalation** mg/l  
**ATEmix (inhalation-dust/mist)** 5.4 mg/l  
**ATEmix (inhalation-vapor)** 143.6 mg/l

#### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Benzene, mono-C10-13-alkyl derivs., distn. residues 84961-70-6	> 2000 mg/kg bw (rat - OECD 401)	> 3600 mg/kg bw (rat)	

**Sensitization** Not classified as a sensitizer.

**Carcinogenicity** This product is not classified carcinogenic.

# Air Tool Cleaner

Date of Previous Version: Not Applicable

Revision Date: 2016-02-11

**Mutagenicity** This product is not classified as mutagenic.  
**Reproductive toxicity** This product does not present any known or suspected reproductive hazards.  
**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).  
**Aspiration Hazard** Not classified.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### **Acute aquatic toxicity - Product Information**

No experimental data available

#### **Acute aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic	Toxicity to microorganisms
Benzene, mono-C10-13-alkyl derivs., distn. residues 84961-70-6		LC50 (96h) > 100 mg/l (Pimephales promelas)		

#### **Chronic aquatic toxicity - Product Information**

No experimental data available

#### **Chronic aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic	Toxicity to fish	Toxicity to microorganisms
Benzene, mono-C10-13-alkyl derivs., distn. residues 84961-70-6	NOEC (72h) 2.08 mg/l (Scenedesmus subspicatus)	NOEC (21d) 0.0075 mg/l (Daphni magna)		

**Effects on terrestrial organisms** No experimental data available .

### Persistence and degradability

**General Information** No information available.

### Bioaccumulative potential

**Product Information** No information available.

**logPow** No information available

### Component Information

Chemical Name	log Pow
Benzene, mono-C10-13-alkyl derivs., distn. residues 84961-70-6	6.7

### Mobility

**Soil** No information available

### Other adverse effects

**General Information** No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment

**Waste Disposal Methods** Dispose of in accordance with local regulations.

# Air Tool Cleaner

Date of Previous Version: Not Applicable

Revision Date: 2016-02-11

Contaminated packaging Dispose of in accordance with local regulations.

## 14. TRANSPORT INFORMATION

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO/IATA</u>	Not regulated
<u>IMDG/IMO</u>	Not regulated
<u>ADR/RID</u>	Not regulated
<u>ADN</u>	Not regulated

## 15. REGULATORY INFORMATION

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

No information available

## 16. OTHER INFORMATION

# Air Tool Cleaner

Date of Previous Version: Not Applicable

Revision Date: 2016-02-11

<b>NFPA</b>	Health Hazard 1	Flammability 1	Instability 0	Physical and chemical hazards –
<b>HMIS</b>	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal Protection X

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date: 2016-03-21

Revision Note: None

**This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.**

**End of the Safety Data Sheet**