



™

**Kuriyama of America, Inc.**

360 E. State Parkway  
Schaumburg, IL 60173-5335 USA

**Phone:** (847) 755-0360

**Toll-Free FAX:** (800) 800-0320

**International FAX:** (847) 885-0996 **Email:** [sales@kuriyama.com](mailto:sales@kuriyama.com)

## Series T714LG800X20, T714LG - 8 in. ID and 20 ft Standard Length Material Handling Hose FDA Grade



[Applications](#) | [Cover](#) | [Reinforcement](#) | [Tube](#) | [Working Pressure](#) | [Temperature Range](#) | [Branding](#) | [Standard Length](#) | [Nominal Specifications](#) | [Specifications](#) | [Coupling Suggestions](#) | [Note](#)

### Applications

#### Applications

For suction or discharge of wet or dry abrasive materials. Suitable for handling materials for human consumption.

### Cover

#### Cover

Green corrugated Nat/SBR blend rubber.

### Reinforcement

#### Reinforcement

Spiraled high tensile textile cords with flexible steel helix wire and static wire.

### Tube

#### Tube

Natural White Gum Rubber 3/16" Thick. Meets FDA and 3A Requirements.

## Working Pressure -

**Working Pressure**

Constant Pressure - 5 Bar (75 PSI)

## Temperature Range -

**Temperature Range [Min]**-30 °C  
-22 °F**Temperature Range [Max]**80 °C  
176 °F

## Branding -

**Branding**

ALFAGOMMA - ITALY T714 - 5 Bar (75 PSI) - BULK FOOD &amp; MATERIAL - S &amp; D (in white letters)

## Standard Length -

**Standard Length**

20 ft

## Nominal Specifications -

**ID**8 in  
203 mm**OD**8.94 in  
227 mm**Max. Rec. WP**

75 psi

**Vacuum HG**

24 inHg

**Min. Bending Radius at 68°F**

32.00 in

**Weight**

7.01 lbs/ft

## Specifications

<b>Brand</b>	Alfagomma®
<b>Type</b>	Industrial Rubber Hose
<b>Series</b>	T714LG
<b>Color</b>	Green

## Coupling Suggestions

**Coupling Suggestions**

Quick-Acting, pin lug, short shank couplings or combination nipples attached with single bolt, double bolt, wire or band type clamps.

## Note

**Note**

Proper grounding of static wire will prolong tube life.

Kuriyama offers a full line of Quick-Acting couplings, pin lug shank couplings and combination nipples. Refer to current Kuriyama-Couplings™ and Accessories Catalog for type and pricing.