

# SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

## 1. IDENTIFICATION

### Product identifier

**Product name** Air Compressor Lubricant

### Other means of identification

**Product Code(s)** ACL032, ACL130, ACL55, A146-32

**Substance/mixture** Mixture

### Recommended use of the chemical and restrictions on use

**Identified uses** Compressor lubricant.

**Uses advised against** Do not use for any purpose other than the one for which it is intended

### Details of the supplier of the safety data sheet

**Supplier Address** Coilhose Pneumatics/Acme Automotive  
19 Kimberly Road  
East Brunswick, NJ 08816  
Phone: +1 800-526-2100

**Contact Point** Customer Service

**E-mail Address** [info@coilhose.com](mailto:info@coilhose.com)

### Emergency telephone number

**Company Phone Number** +1 (732) 390-8480 – 8:00AM to 7:00PM EST Monday thru Friday  
**Emergency telephone** POISON CONTROL: +1 800-222-1222 (24h)

## 2. HAZARDS IDENTIFICATION

**OSHA/HCS status:** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture:** Not classified

### GHS Label elements

**Signal word:** No signal word.

**Hazard statements:** No known significant effects or critical hazards

### Precautionary statements

**Prevention:** No signal word.

**Response:** No known significant effects or critical hazards

**Storage:** No signal word.

**Disposal:** No signal word.

**Supplemental label elements:** Avoid contact with skin and clothing. Wash thoroughly after handling. Avoid contact with eyes. May cause irritation to the eyes. In case of contact with eyes, rinse immediately with plenty of water. If irritation persists, get medical attention.

**Hazardous not otherwise classified:** Prolonged or repeated contact may dry skin and cause irritation.

### 3. COMPOSITION/INFORMATION OF INGREDIENTS

Chemical Name	CAS-No	Weight %
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	40-50
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	50-60

Any concentration shown as a range is to protect confidentiality or is due to batch variation

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

**Eye contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.

**Skin contact:** Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

**Ingestion** Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

##### Potential acute health effects

**Skin contact:** Defatting to the skin. May cause skin dryness and irritation.

**Eye contact:** May cause slight transient irritation.

**Inhalation:** No known significant effects or critical hazards.

**Ingestion:** Ingestion may cause gastrointestinal irritation and diarrhea.

##### Potential acute health effects

**Skin contact:** Dryness, irritation, cracking

**Eye contact:** Watering, redness.

**Inhalation:** No specific data.

**Ingestion:** No specific data.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments:** No specific treatment.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media:** Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable Extinguishing Media:** None Known.

**Specific hazards arising from the chemical:** In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products:** No specific data.

**Protective Equipment and Precautions for Firefighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**Environmental precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up**

**Small spill:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Large spill:** Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

**7. HANDLING AND STORAGE**

**Handling:** Put on appropriate personal protective equipment (see Section 8).

**Storage:** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Occupational exposure limits

Chemical Name	CAS-No	ACGIH	OSHA	Mexico
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction	TWA: 5 mg/m <sup>3</sup> 8 hours.	LMPE-PPT: 5 mg/m <sup>3</sup> 8 hours. Form: mist LMPE-CT: 10 mg/m <sup>3</sup> 15 minutes. Form: mist
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction	TWA: 5 mg/m <sup>3</sup> 8 hours.	LMPE-PPT: 5 mg/m <sup>3</sup> 8 hours. Form: mist LMPE-CT: 10 mg/m <sup>3</sup> 15 minutes. Form: mist

**Engineering Measures:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Hygiene Measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protective equipment

**Eye/Face Protection:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: splash goggles.

**Skin and body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Hand Protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Respiratory protection:** None required under normal usage. If exposure limits are exceeded or irritation is experienced, IOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures:** If a risk assessment indicates this is necessary, use a properly fitted, air-purifying or air fed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.



Person Protective Equipment Pictograms:

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:**

**Physical State:** Liquid.

**Color:** Amber.

**Odor:** Not available.

<b>Odor threshold:</b>	Not available.
<b>Ph:</b>	Not available.
<b>Melting Point:</b>	Not available.
<b>Boiling Point:</b>	Not available.
<b>Flash Point:</b>	Not available.
<b>Burning time:</b>	Not available.
<b>Burning rate:</b>	Not available.
<b>Evaporation Rate:</b>	Not available.
<b>Flammability (solid, gas):</b>	Not available.
<b>Lower and upper explosion limits:</b>	Not available.
<b>Solubility:</b>	Insoluble in the following materials: cold water and hot water.
<b>Solubility in water:</b>	Not available.
<b>Partition coefficient: n-octanol/water:</b>	Not available.
<b>Auto-ignition temperature:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.
<b>Viscosity:</b>	Kinematic (40°C (104°F)): 0.2525 cm <sup>2</sup> /s (25.25 cSt)
<b>Elemental phosphorus:</b>	Not available.
<b>VOC content:</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density:</b>	Not available.
<b>Relative density:</b>	Not available.

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability:</b>	The product is stable.
<b>Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to Avoid:</b>	No specific data.
<b>Incompatible Materials:</b>	Reactive or incompatible with the following materials: acids and alkalis.
<b>Hazardous Decomposition Products:</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Storage:</b>	No specific data.

## 11. TOXICOLOGICAL INFORMATION

### Carcinogenicity

### Classification

Chemical Name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Distillates (petroleum), solvent-dewaxed heavy paraffinic	A4	-	-	-	-	-
Distillates (petroleum), solvent-refined heavy paraffinic	A4	-	-	-	-	-

**Information on likely routes of exposure:** Dermal contact. Eye contact. Inhalation.

### Information on toxicological effects

**Skin contact:** Defatting to the skin. May cause skin dryness and irritation.

**Eye contact:** May cause slight transient irritation.

**Inhalation:** No known significant effects or critical hazards

**Ingestion:** Ingestion may cause gastrointestinal irritation and diarrhea.

### Symptoms related to physical, chemical and toxicological characteristics

**Eye contact:** Pain or irritation, watering, redness.

**Inhalation:** No specific data.

**Skin contact:** Irritation, dryness, cracking

**Ingestion:** No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects:** Not available.

**Potential delayed effects:** Not available.

#### Long term exposure

**Potential immediate effects:** Not available.

**Potential delayed effects:** Not available

#### Potential chronic health effects

Not available.

**General:** Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

**Carcinogenicity:** No known significant effects or critical hazards.

**Mutagenicity:** No known significant effects or critical hazards.

**Teratogenicity:** No known significant effects or critical hazards.

**Developmental effects:** No known significant effects or critical hazards.

**Fertility effects:** No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** Not available

**Aquatic ecotoxicity**

Not available

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal:** The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**14. TRANSPORTATION INFORMATION**

**IATA/IMDG/DOT/TDG:** Not regulated.

**15. REGULATORY INFORMATION**

**U.S. Federal Regulations:** **TSCA 12(b) one-time export:** No products were found.  
**TSCA 12(b) annual export notification:** No products were found.  
**United States inventory (TSCA 8b):** All components are listed or exempted.

**EPA Registration Number:** Not available.

**SARA 302/304**

**Composition/information on ingredients**

No products were found.

**SARA 304 RQ:** Not available.

**SARA 311/312 Hazard Categories**

**Classification:** Immediate (acute) health hazard.

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

Not Listed.

**Canada**

**Canadian lists**

**Canadian NPRI:** Not available.

**Canada Inventory:** Not available.

**Canadian PCP/DIN Number:** Not available.

**U.S. State Right-to-Know Regulations**

**Massachusetts:** None of the components are listed.

**New York:** None of the components are listed.

**New Jersey:** The following components are listed: MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED).

**Pennsylvania:** None of the components are listed.

**California Prop. 65**

Not available

**Canada**

**Canadian lists**

**International lists:** **Australia inventory (AICS):** All components are listed or exempted.  
**China inventory (IECSC):** All components are listed or exempted.  
**Japan inventory:** Not determined.  
**Korea inventory:** All components are listed or exempted.  
**Malaysia Inventory (EHS Register):** Not determined.  
**New Zealand Inventory of Chemicals (NZIoC):** All components are listed or exempted.  
**Philippines inventory (PICCS):** Not determined.  
**Taiwan inventory (CSNN):** Not determined.

**16. OTHER INFORMATION**

**History**

**Revision Date:** 3/26/2019

**Issue Date:** 5/23/2016

**Date of revision:** 3/26/2019

**Canadian lists**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of the safety data sheet